

Towel Rails

Stelrad Towel Rails offer stylish looks and effective heating and drying performance - in the bathroom or in the kitchen. Available from stock in white or chrome.

26 models


Heights: 700mm to 1800mm

Lengths: 400mm, 500mm & 600mm

Outputs: 240 to 1022 watts, 820 to 3489 Btu/hr

For full details please refer to pages 65-66





50_{Δt}

Straight White

Straight Chrome


Curved White

Curved Chrome

Height	Length mm	Max Projection mm	UIN	Heat output Watts	Btu/hr	Max Projection mm	UIN	Heat output Watts	Btu/hr	Max Projection mm	UIN	Heat output Watts	Btu/hr	Max Projection mm	UIN	Heat output Watts	Btu/hr
750	500	100	148070	367	1153	100	147002	305	958	100	147006	394	1238	100	147012	328	1031
	600	100	148071	439	1379	100	147003	366	1150	100	147007	472	1483	100	147013	393	1235
1200	500	100	148072	545	1712	100	147004	454	1426	100	147008	586	1841	100	147014	488	1533
	600	100	148073	646	2030	100	147005	539	1694	100	147009	695	2184	100	147015	579	1819
1800	500	100	148074	804	2526	100	142768	670	2105	100	147010	864	2715	100	147016	720	2262
	600	100	148075	951	2988	100	142769	792	2488	100	147011	1022	3211	100	147017	852	2677


Straight Towel Rail 750mm

All dimensions in mm.




Curved Towel Rail 750mm

All dimensions in mm.




Straight Towel Rail 1200mm

All dimensions in mm.




Curved Towel Rail 1200mm

All dimensions in mm.




Straight Towel Rail 1800mm

All dimensions in mm.



Curved Towel Rail 1800mm

All dimensions in mm.



Mini Towel Rail

50 Δt

White

Chrome

Height	Length mm	Max Projection mm	Heat output			Heat output			
			UIN	Watts	Btu/hr	UIN	Watts	Btu/hr	
700	400	100	147000	280	983	100	147001	240	820

Mini Towel Rail

All dimensions in mm.

